

<https://helda.helsinki.fi>

Correction to: Serum sodium and intracranial pressure changes
after desmopressin therapy in severe traumatic brain injury
patients : a multi-centre cohort study

Harrois, A.

Springer International Publishing
2019-12-04

Annals of Intensive Care. 2019 Dec 04;9(1):136

<http://hdl.handle.net/10138/307973>

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.


Please cite the original version.

CORRECTION

Open Access



Correction to: Serum sodium and intracranial pressure changes after desmopressin therapy in severe traumatic brain injury patients: a multi-centre cohort study

A. Harrois^{1,2*} , J. R. Anstey¹, F. S. Taccone³, A. A. Udy^{4,16}, G. Citerio⁵, J. Duranteau², C. Ichai⁶, R. Badenes⁷, J. R. Prowle⁸, A. Ercole⁹, M. Oddo¹⁰, A. Schneider¹⁰, M. van der Jagt¹¹, S. Wolf¹², R. Helbok¹³, D. W. Nelson¹⁴, M. B. Skrifvars¹⁵, D. J. Cooper^{3,16} and R. Bellomo^{1,16,17,18} on behalf of The TBI Collaborative

Correction to: Ann Intensive Care (2019) 9:99

<https://doi.org/10.1186/s13613-019-0574-z>

Following publication of the original article [1], we were notified that the collaborators' names part of the "The TBI Collaborative" group has not been indexed in PubMed. Below the collaborators names full list:

The TBI collaborative group: Long K (Intensive Care Unit, Royal Melbourne Hospital, Parkville, Victoria, Australia), Rodrigues A (Department of Anesthesia and Surgical Intensive Care, CHU de Bicetre, Le Kremlin Bicêtre, France), Lozano A (Department of Intensive Care, Erasme Hospital, Université Libre de Bruxelles, Brussels, Belgium), Saxby E (Intensive Care Unit, The Alfred Hospital, Melbourne, Victoria, Australia), Vargiolu A (School of Medicine and Surgery, University Milano Bicocca-Neurointensive Care, San Gerardo Hospital, ASSTMonza, Monza, Italy), Quintard H (Université Côte d'Azur, Centre hospitalier Universitaire de Nice, Service de Réanimation polyvalente, Hôpital Pasteur 2, Nice, France), Robba C (Department of Anesthesiology and Surgical-Trauma Intensive Care, Hospital Clinic Universitari de Valencia, University of Valencia, Valencia, Spain), Sisson A (Adult Critical Care Unit, The Royal London Hospital, Barts Health NHS Trust, London, UK), Allen G (Neurosciences and Trauma Critical Care Unit,

Cambridge University Hospitals NHS Foundation Trust, Cambridge, UK), Baro N (Department of Neurosurgery, Charité Universitätsmedizin Berlin), Kofler M (Neurological Intensive Care Unit, Department of Neurology, Medical University of Innsbruck, Innsbruck, Austria).

Author details

¹ Intensive Care Unit, Royal Melbourne Hospital, Parkville, VIC, Australia.

² Department of Anesthesia and Surgical Intensive Care, CHU de Bicetre, APHP, Université Paris Sud, 78 Rue du Général Leclerc, 94270 Le Kremlin Bicêtre, France. ³ Department of Intensive Care, Erasme Hospital, Université Libre de Bruxelles, Brussels, Belgium. ⁴ Intensive Care Unit, The Alfred Hospital, Melbourne, VIC, Australia. ⁵ School of Medicine and Surgery, University Milano Bicocca-Neurointensive Care, San Gerardo Hospital, ASST-Monza, Monza, Italy. ⁶ Université Côte d'Azur, Centre hospitalier Universitaire de Nice, Service de Réanimation Polyvalente, Hôpital Pasteur 2, Nice, France. ⁷ Department of Anesthesiology and Surgical-Trauma Intensive Care, Hospital Clinic Universitari de Valencia, University of Valencia, Valencia, Spain. ⁸ Adult Critical Care Unit, The Royal London Hospital, Barts Health NHS Trust, London, UK. ⁹ Neurosciences and Trauma Critical Care Unit, Cambridge University Hospitals NHS Foundation Trust, Cambridge, UK. ¹⁰ Department of Medical-Surgical Intensive Care Medicine, Faculty of Biology and Medicine, Centre Hospitalier Universitaire, Vaudois (CHUV), University of Lausanne, Lausanne, Switzerland. ¹¹ Department of Intensive Care, Erasmus MC-University Medical Center, Rotterdam, The Netherlands. ¹² Department of Neurosurgery, Charité Universitätsmedizin Berlin, Berlin, Germany. ¹³ Neurological Intensive Care Unit, Department of Neurology, Medical University of Innsbruck, Innsbruck, Austria. ¹⁴ Section for Perioperative Medicine and Intensive Care, Department of Physiology and Pharmacology, Karolinska Institute, Stockholm, Sweden. ¹⁵ Division of Intensive Care, Department of Emergency Care and Services, University of Helsinki and Helsinki University Hospital, Helsinki, Finland. ¹⁶ Australian and New Zealand Intensive Care Research Centre, School of Public Health and Preventative Medicine, Monash University, Melbourne, VIC, Australia. ¹⁷ Department of Intensive Care, Austin Health, Melbourne, VIC, Australia. ¹⁸ School of Medicine, University of Melbourne, Melbourne, Australia.

The original article can be found online at <https://doi.org/10.1186/s13613-019-0574-z>.

*Correspondence: harroisanatole@yahoo.fr

² Department of Anesthesia and Surgical Intensive Care, CHU de Bicetre, APHP, Université Paris Sud, 78 Rue du Général Leclerc, 94270 Le Kremlin Bicêtre, France

Full list of author information is available at the end of the article

Published online: 04 December 2019

Reference

1. Harrois A, Anstey JR, Taccone FS, Udy AA, Citerio G, Duranteau J, Ichai C, Badenes R, Prowle JR, Ercole A, Oddo M, Schneider A, van der Jagt M, Wolf S, Helbok R, Nelson DW, Skrifvars MB, Cooper DJ, Bellomo R. Ann Intensive Care. 2019;9:99. <https://doi.org/10.1186/s13613-019-0574-z>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► [springeropen.com](https://www.springeropen.com)